






SUTTNER

A M E R I C A C O M P A N Y

PRESSURE WASHER COMPONENTS & ACCESSORIES



Hose
Catalog
2023-2024




Table of Contents

ABOUT US.....Page 3

WATER SUPPLY HOSES.....Page 5

CONSUMER HOSES.....Pages 6 & 7

PRESSURE WASHER HOSES.....Pages 8 through 11

CARPET HOSES.....Page 12

HOSE ACCESSORIES.....Pages 13 & 14

PRIVATE LABEL HOSES.....Page 15

For Nearly

60 Years: The SUTTNER brand is recognized for many of the modern innovations in the high pressure cleaning applications today.

- 375 employees world wide.
- 430,000 square foot factory space worldwide.
- Suttner supplies components to more than 75 countries.
- In-house production of 95% of **ALL** products sold.

Training: We are committed to training, we believe the more knowledge the customer has, the easier the selling process.

Innovation: Suttner strives to develop 2 products each month on average.

Reliability: We strive to fill orders in a timely manner.

Integrity: Is a concept of consistency of actions, values, methods, measures, principles, expectations and outcomes.

Consistency: Our integrity guides us to supply our customers with the parts and accessories in a manner that they request.

Quality: Product branded with the SUTTNER name is designed and manufactured with quality products that features comfortable and easy function use that customers have come to expect for nearly **60 years**.

Discipline: Our management team has the business acumen to stay true to business strategies that partner with like-minded customers.

Loyalty: A shared business loyalty model combining quality of product and service leads to mutually satisfying and profitable relationships.

Partnership: Development of successful, long term, strategic relationships based on achieving best practice and sustainable competitive advantages.

Knowledge: Our North American staff average 18 years of industry experience.

Location: Central USA warehouse for quick shipping direct to all locations.

Our management team is driven by a true commitment to customer's needs. The Suttner team has extensive experience and provides the technical support needed. We specialize in personal service, spending time with customers over the phone or in person to diligently understand customer's needs and markets.

Water Supply Hoses



WATER SUPPLY HOSES

ORDER #	I.D.	O.D.	LENGTH	WEIGHT	BOX QTY
B3V23050	3/4"	1.125"	50 ft	18 lb	3
B3V23100	3/4"	1.125"	100 ft	35.8 lb	2
B3V23150	3/4"	1.125"	150 ft	54 lb	1

PRESSURE	TEMP.	FITTINGS
200 PSI	200° F	3/4 MGHT x 3/4 FGHT

- Black bend guard on female end
- EPDM tube and cover
- Textile cord reinforced
- Resistant to heat, sunlight, ozone and weathering
- Excellent abrasion resistance
- Crimped on, crush resistant brass garden hose connections
- Designed specifically for supply water to pressure washer inlet



CONSUMER HOSES

Perfect hose for consumer/DIY pressure washers

ORDER #	PRESSURE	FITTINGS	LENGTH	WEIGHT	BOX QTY
080032008	3200 PSI	M22 x M22	25 ft	1.64 lb	16
080032010	3000 PSI	1/4" FBSP Swivel Nut x M22	25 ft	1.64 lb	16
080032015	3000 PSI	3/8" M x M22 Screw Coupling	50 ft	3.28 lb	10
080032020	3200 PSI	M22 x M22	50 ft	3.28 lb	10
		TEMP.	I.D.	O.D.	
		140° F	1/4"	.44"	

- Designed for cold water consumer gas and electric pressure washers
- Reinforced with one layer of polyester braid
- Smooth thermo plastic non-marking cover
- Resistant to cleaning detergents



M22 x M22



3/8" Male x M22



1/4" FBSP Swivel x M22

5/16" SINGLE WIRE 4000 PSI HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V45025	3/8" MPT x M swivel	25 ft	4.3 lb	10
B3V45026	M22 x 3/8" M swivel	25 ft	5 lb	7
B3V45035	M22 x M22	25 ft	4.3 lb	10
B3V45040	3/8" QC Socket/Plug	25 ft	5 lb	10
B3V45050	3/8" MPT x M swivel	50 ft	8.5 lb	5
B3V45055	M22 x M22 swivel	50 ft	9 lb	5
B3V45075	M22 x M22	50 ft	8.5 lb	5
PRESSURE		TEMP.	I.D.	O.D.
4000 PSI		-15° F to 250° F	5/16"	.65"

- Reinforced with one layer of high tensile steel wire
- Heat resistant synthetic rubber inner tube
- Wrapped abrasion resistant synthetic cover
- Suitable for consumer and commercial pressure washers
- Black bend guards on each end
- Lighter weight wire braided rubber alternative



3/8" QC Socket/Plug



M22 x 3/8" M swivel



M22 x M22




3/8" MPT x M swivel

REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R45050	Bulk Hose	500 ft reel	90 lb	Black	1
899400016	Zinc Crimp Ferrule	16.3 mm ± 0.3 mm	—	—	25
898400616	Zinc Fitting	3/8" MPT x Barb	2.8 oz	—	25
898400618	Zinc Fitting	3/8" MPT x Barb Swivel	3.8 oz	—	25
898400622	Brass/Plated Steel	M22	3.8 oz	—	25
080030816	Rubber Bend Restrictors	For 5/16" Hose	—	Black	25

Crimp Ferrule



Swivel



Solid



3/8" MPT x M Swivel

5/16" DOUBLE WIRE 6000 PSI BULK REEL HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	COLOR
B3R45105	M22 x M22	500 ft	73 lb	Black
B3R45106	3/8" MPT x M Swivel	656 ft	95 lb	Gray
PRESSURE		TEMP.	I.D.	O.D.
6000 PSI		-15° F to 250° F	5/16"	.672"

- Double wire braided rubber hose
- Heat resistant synthetic rubber inner tube
- Suitable for consumer and commercial pressure washers
- Lighter weight wire braided rubber alternative
- Wrapped abrasion resistant synthetic cover

REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
899600016	Zinc Crimp Ferrule	18.50 mm - 19.00 mm	—	—	25
898400616	Zinc Fitting	3/8" MPT x Barb	2.8 oz	—	25
898400618	Zinc Fitting	3/8" MPT x Barb Swivel	3.8 oz	—	25
898400622	Brass/Plated Steel	M22	3.8 oz	—	25
080030817	Rubber Bend Restrictors	For 5/16" Hose	—	Red	25

Crimp Ferrule



Swivel



Solid



3/8" SINGLE WIRE 4000 PSI HOSES

ORDER #	COLOR	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V00340	Black	3/8" MPT x M Swivel	25 ft	4.57 lb	6
B3V00341	Gray	3/8" MPT x M Swivel	25 ft	4.57 lb	6
B3V00350	Black	3/8" MPT x M Swivel	50 ft	9.15 lb	5
B3V00351	Black	3/8" QC Socket / Plug	50 ft	9.15 lb	5
B3V00352	Gray	3/8" MPT x M Swivel	50 ft	9.15 lb	5
B3V00353	Gray	3/8" QC Socket / Plug	50 ft	9.15 lb	5
B3V00354	Blue	3/8" MPT x M Swivel	50 ft	9.15 lb	5
B3V00355	Yellow	3/8" MPT x M Swivel	50 ft	9.15 lb	5
B3V00375	Black	3/8" MPT x M Swivel	75 ft	13.75 lb	3
B3V00376	Gray	3/8" MPT x M Swivel	75 ft	13.75 lb	3
B3V00377	Blue	3/8" MPT x M Swivel	75 ft	13.75 lb	3
B3V00378	Yellow	3/8" MPT x M Swivel	75 ft	13.75 lb	3
B3V00380	Black	3/8" MPT x M Swivel	100 ft	18.25 lb	3
B3V00381	Black	3/8" QC Socket / Plug	100 ft	18.25 lb	3
B3V00382	Gray	3/8" MPT x M Swivel	100 ft	18.25 lb	3
B3V00384	Blue	3/8" MPT x M Swivel	100 ft	18.25 lb	3
B3V00700	Yellow	3/8" MPT x M Swivel	100 ft	18.25 lb	3
B3V00390	Black	3/8" MPT x M Swivel	150 ft	27.4 lb	2
B3V00391	Gray	3/8" MPT x M Swivel	150 ft	27.4 lb	2
B3V00395	Black	3/8" MPT x M Swivel	200 ft	36.5 lb	1
B3V00396	Gray	3/8" MPT x M Swivel	200 ft	36.5 lb	1
PRESSURE		TEMP.	I.D.	O.D.	
4000 PSI		-15° F to 250° F	3/8"	.693"	




- Synthetic rubber abrasion resistant wrapped cover
- Designed for commercial high pressure cleaning applications
- Single wire braided rubber hose
- Black bend guards on each end
- Heat resistant synthetic rubber inner tube

REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R00351	Bulk Hose	500 ft reel	92 lb	Black	1
B3R00353	Bulk Hose	500 ft reel	92 lb	Gray	1
B3R00354	Bulk Hose	500 ft reel	92 lb	Blue	1
B3R00355	Bulk Hose	500 ft reel	92 lb	Yellow	1
899400038	Zinc Crimp Ferrule	18.9 mm ± 0.3 mm	—	—	25
898400738	Zinc Fitting	3/8" MPT x Barb	3.0 oz	—	25
898400739	Zinc Fitting	3/8" MPT x Barb swivel	3.5 oz	—	25
080030838	Rubber Bend Restrictors	For 3/8" Hose	—	Black	25



Pressure Washer Hoses



3/8" SINGLE WIRE 4000 PSI SMOOTH HOSES

ORDER #	COLOR	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V00302	Blue	3/8" MPT x M swivel	2 ft	0.48 lb	50
B3V00325	Black	3/8" MPT x M swivel	25 ft	6 lb	6
B3V00326	Blue	3/8" MPT x M swivel	25 ft	6 lb	6
B3V00334	Black	3/8" MPT x M swivel	50 ft	12.5 lb	5
B3V00335	Blue	3/8" MPT x M swivel	50 ft	12.5 lb	4
B3V00424	Black	3/8" MPT x M swivel	75 ft	18 lb	3
B3V00425	Blue	3/8" MPT x M swivel	75 ft	18 lb	3
B3V00534	Black	3/8" MPT x M swivel	100 ft	25 lb	3
B3V00547	Blue	3/8" MPT x M swivel	100 ft	25 lb	3
B3V00536	Black	3/8" MPT x M swivel	150 ft	37.5 lb	1
B3R00420	Blue	3/8" MPT x M swivel	200 ft	50 lb	1
B3R00430	Blue	3/8" MPT x M swivel	300 ft	75 lb	1

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	4000 PSI	3/8"	.693"

- Blue minimal marking abrasion resistant smooth synthetic rubber cover
- Black bend guards on each end
- Reinforced with one layer of high tensile steel wire
- Heat resistant synthetic rubber inner tube
- Designed as a solution hose for carpet cleaning equipment and high pressure cleaning applications



REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R00334	Bulk Hose	500 ft reel	92 lb	Black	1
B3R00436	Bulk Hose	500 ft reel	92 lb	Blue	1
B3R00440	Bulk Hose	500 ft reel	92 lb	Yellow	1
B3R00442	Bulk Hose	500 ft reel	92 lb	Gray	1
899400038	Zinc Crimp Ferrule	18.9 mm ± 0.3 mm	—	—	25
898400738	Zinc Fitting	3/8" MPT x Barb	3.0 oz	—	25
898400739	Zinc Fitting	3/8" MPT x Barb swivel	3.5 oz	—	25
080030838	Rubber Bend Restrictors	For 3/8" Hose	—	Black	25

3/8" SINGLE WIRE 4000 PSI "JUMPER" HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V00018	3/8" MPT x M swivel	18 in	.5 lb	50
B3V00002	3/8" MPT x M swivel	2 ft	.6 lb	50
B3V00005	3/8" MPT x M swivel	2.5 ft	.8 lb	50
B3V00003	3/8" MPT x M swivel	3 ft	.9 lb	50
B3V00004	3/8" MPT x M swivel	4 ft	1.2 lb	50
B3V00007	3/8" MPT x M swivel	5 ft	1.4 lb	30
B3V00006	3/8" MPT x M swivel	6 ft	1.5 lb	30
B3V00008	3/8" MPT x M swivel	7 ft	1.6 lb	30
B3V00011	3/8" MPT x M swivel	11 ft	2.3 lb	20
B3V00012	3/8" MPT x M swivel	12 ft	2.5 lb	20
B3V00318	3/8" MPT x M swivel	18 ft	3.5 lb	10
	TEMP.	PRESSURE	I.D.	O.D.
	-15° F to 250° F	4000 PSI	3/8"	.693"



- Synthetic rubber abrasion resistant wrapped cover
- Designed for connecting hose reels to pressure washers
- Heat resistant synthetic rubber inner tube
- Commercial grade
- Reinforced with one layer of high tensile steel wire

3/8" SUPER TUFF COVER HOSES

This hose has an additional, more durable coating that makes it more abrasion resistant, non marking and Super Tuff cover that lasts longer than the standard hose

ORDER #	PRESSURE	O.D.	LENGTH	WEIGHT	BOX QTY
B3V46050	4000 PSI	.693"	50 ft	9.30 lb	5
B3V46100	4000 PSI	.693"	100 ft	18.0 lb	3
B3V47050	6000 PSI	.74"	50 ft	15.25 lb	5
B3V47100	6000 PSI	.74"	100 ft	30.5 lb	2
TEMP.		I.D.	FITTINGS		
-15° F to 250° F		3/8"	3/8" MPT x M swivel		



- Reduce downtime because of a worn out hose
- Reinforced with one layer (4000 PSI) or 2 layers (6000 PSI) of high tensile steel wire
- Designed for high pressure cleaning applications that require exceptional cover wear resistant
- Heat resistant synthetic rubber inner tube
- Red bend guards on each end

Pressure Washer Hoses



3/8" DOUBLE WIRE 6000 PSI "JUMPER" HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V58018	3/8" MPT x M swivel	18 in	.5 lb	50
B3V58002	3/8" MPT x M swivel	2 ft	.6 lb	50
B3V58019	3/8" MPT x M swivel	2.5 ft	.75 lb	50
B3V58003	3/8" MPT x M swivel	3 ft	.9 lb	50
B3V58004	3/8" MPT x M swivel	4 ft	1.2 lb	50
B3V58006	3/8" MPT x M swivel	6 ft	1.8 lb	15
B3V58010	3/8" MPT x M swivel	10 ft	3 lb	10
B3V58015	3/8" MPT x M swivel	15 ft	4.45 lb	10

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	6000 PSI	3/8"	.77"

- Double wire braided rubber hose
- Synthetic rubber abrasion resistant wrapped cover
- Designed for connecting hose reels to pressure washers
- Reinforced with one layer of high tensile steel wire
- Heat resistant synthetic rubber inner tube
- Commercial grade



3/8" DOUBLE WIRE 6000 PSI HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	COLOR	BOX QTY
B3V58025	3/8" MPT x M swivel	25 ft	7.6 lb	Black	6
B3V58050	3/8" MPT x M swivel	50 ft	15.25 lb	Black	5
B3V58060	3/8" MPT x M swivel	50 ft	15.25 lb	Gray	5
B3V58075	3/8" MPT x M swivel	75 ft	22.8 lb	Black	3
B3V58100	3/8" MPT x M swivel	100 ft	30.5 lb	Black	2
B3V58101	3/8" MPT x M swivel	100 ft	30.5 lb	Gray	2
B3V58150	3/8" MPT x M swivel	150 ft	45.75 lb	Gray	2
B3V58200	3/8" MPT x M swivel	200 ft	61 lb	Gray	1

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	6000 PSI	3/8"	.77"

- Bend guards on each end
- Heat resistant synthetic rubber inner tube
- Designed for high pressure cleaning applications
- Abrasion resistant wrapped synthetic rubber cover
- Double wire braided rubber hose
- An ideal hose for hot water applications



REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R58050	Bulk Hose	500 ft reel	155 lb	Black	1
B3R58060	Bulk Hose	500 ft reel	155 lb	Gray	1
899600038	Zinc Crimp Ferrule	20.6 mm ± 0.3 mm	—	—	25
898400738	Zinc Fitting	3/8" MPT x Barb	3.0 oz	—	25
898400739	Zinc Fitting	3/8" MPT x Barb swivel	3.5 oz	—	25
898400722	Brass/Plated Steel	M22	3.8 oz	—	25
080030839	Rubber Bend Restrictors	for 3/8" Hose	—	Red	25

3/8" 7200 PSI "ULTRA HIGH" PRESSURE HOSE

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V72003	3/8" MPT x MPT	3 ft	1.40 lb	25
B3V72004	3/8" MPT x MPT	4 ft	1.75 lb	25
B3V72050	3/8" MPT x MPT	50 ft	16.25 lb	4
B3V72100	3/8" MPT x MPT	100 ft	31.5 lb	2
B3V72150	3/8" MPT x MPT	150 ft	46.75 lb	1

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	7200 PSI	3/8"	.77"



- Designed for commercial high pressure cleaning applications
- An ideal hose for hot water applications
- Red bend guards on each end
- Commercial grade
- Synthetic rubber abrasion resistant wrapped cover

1/2" DOUBLE WIRE 4000 PSI HOSE

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V00750	1/2" MPT x M swivel	50 ft	19.15 lb	2
B3V00755	1/2" MPT x M swivel	75 ft	27.75 lb	2
B3V00766	1/2" MPT x M swivel	100 ft	37.3 lb	2

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	4000 PSI	1/2"	.81"



****Jumper Hose lengths available from 2 ft to 12 ft per request****

- Heat resistant synthetic rubber inner tube
- Designed for high pressure cleaning applications
- Double wire braided rubber hose
- Red bend guards on each end

REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R00750	Bulk Hose	350 ft reel	125 lb	Black	1
899400050	Zinc Crimp Ferrule	25.1 mm ± 0.3 mm	—	—	25
898400650	Zinc Fitting	1/2" MPT x Barb	—	—	25
898400651	Zinc Fitting	1/2" MPT x Barb swivel	3.5 oz	—	25
080030845	Rubber Bend Restrictors	for 1/2" Hose	—	Red	25



1/2" DOUBLE WIRE 6000 PSI HOSE

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3R00760	1/2" MPT x M swivel	350 ft Reel	150 lb	—
B3V00760	1/2" M swivel x M swivel	50 ft	23.5 lb	2
B3V00765	1/2" M swivel x M swivel	100 ft	45 lb	2

TEMP.	PRESSURE	I.D.	O.D.
-15° F to 250° F	6000 PSI	1/2"	.81"



- Heat resistant synthetic rubber inner tube
- Designed for high pressure cleaning applications
- Double wire braided rubber hose
- Red bend guards on each end



1/4" SINGLE WIRE 3000 PSI BLUE CARPET SOLUTION HOSES

ORDER #	FITTINGS	LENGTH	WEIGHT	BOX QTY
B3V00201	1/4" MPT x M swivel	1 ft	0.15 lb	50
B3V00203	1/4" MPT x M swivel	3 ft	0.46 lb	50
B3V00204	1/4" MPT x M swivel	25 ft	2.8 lb	10
B3V00205	1/4" MPT x M swivel	50 ft	5.6 lb	6
B3V00210	1/4" MPT x M swivel	100 ft	11 lb	2
B3V00250	1/4" MPT x M swivel	150 ft	16.5 lb	1
B3V00300	1/4" MPT x M swivel	200 ft	22 lb	1
PRESSURE		TEMP.	I.D.	O.D.
3000 PSI		-15° F to 250° F	1/4"	.44"

- Blue non-marking abrasion resistant smooth synthetic rubber cover
- Black bend guards on each end
- Reinforced with one layer of high tensile steel wire
- Heat resistant synthetic rubber inner tube
- Designed as a solution hose for carpet cleaning equipment and high pressure cleaning applications

Crimp Ferrule



Swivel



Solid



REPAIR YOUR OWN HOSE (fittings & ferrules)

Note: each fitting requires a crimp ferrule

ORDER #	DESCRIPTION	SIZE	WEIGHT	COLOR	BOX QTY
B3R00205	Bulk Hose	500 ft reel	70 lb	Blue	1
899300014	Zinc Crimp Ferrule	12.8 mm - 13.0 mm	—	—	25
898300014	Zinc Fitting	1/4" MPT x Barb	2.6 oz	—	25
898300015	Zinc Fitting	1/4" MPT x Barb Swivel	3.2 oz	—	25
080030814	Rubber Bend Restrictors	for 1/4" hose	—	Black	25

HOSE BEND PROTECTORS *(extends the life of the hose)*

ORDER #	DESCRIPTION	COLOR
080030814	Fits 1/4" Hose	Black
080030816	Fits 5/16" Hose	Black
080030817	Fits 5/16" Hose	Red
080030838	Fits 3/8" Hose	Black
080030839	Fits 3/8" Hose	Red
080030845	Fits 1/2" Hose	Red
080030870	Fits 3/8" Hose	Red
080030871	Fits 3/8" Hose	Black
080030872	Fits 1/4" Hose	Black
080030875	Fits 3/4" Hose	Black

- Special material that is more UV and ozone resistant than rubber
- Resistant to cleaning detergents



Private label available

ALSO AVAILABLE:

#080030871 in assorted colors:
Special order, minimum quantities



#080030814



#080030816



#080030817



#080030838



#080030839




#080030845



#080030870



#080030871



#080030872




#080030875

HOSE HANGER *(stainless steel)*

ORDER #	MATERIAL	DIMENSION	WEIGHT
11006	Polished Stainless Steel	13.75" x 6" x 7.75"	2 lb

- Polished stainless steel
- Food grade
- Holds 175 ft of 3/8" hose
- Holds 120 ft of 1/2" hose
- Holds 90 ft of 3/4" hose





PROTECTIVE HOSE SLEEVE

ORDER #	FITS HOSE	DESCRIPTION	COLOR	WEIGHT
080030824	Fits 3/8" Hose	24" PVC	Black	.2 lb
080030825	Fits 3/8" Hose	24" PVC	Red	.2 lb

- 24" durable PVC protective guard attaches to the trigger gun end of a pressure washer hose providing the operator protection against high pressure burst



SUTTNER SUPERBALLS

ORDER #	DESCRIPTION	COLOR	BOX QTY	BOX WEIGHT
200000505	For 3/8" 4000 PSI hose	Orange	36	1.2 lb
200000515	For 3/8" 6000 PSI hose	Red	36	1.2 lb
200000516	For 1/4" 3000 PSI hose	Blue	36	1.2 lb

- Greatly reduces hose cover wear caused by abrasion
- Helps keep hose clean and water from damming around it
- Easy handling and dragging of hose
- Recommended spacing is 16 inches
- Easy Installation



https://youtu.be/si6_qAYcUnE



Promote your company with Private Label Hoses

COMPANY NAME



& INFORMATION HERE




Actual font size on layline: Arial Black, 16 pt.

Layline Options:

- Colored background with one color text or logo
- One color text or logo

- Available on all of Suttner's high pressure hose, bulk reels and assemblies, *except the SST hose*
- Minimum order is **10,000 feet per hose style**
 - Example: Order (50) of 100 ft. assemblies **and**
 - (100) of 50 ft. assemblies to total 10,000 feet
- Available in all standard hose colors
- Full line of two piece crimp fittings available
- Designed for commercial pressure washing applications
- Available in 3000, 4000, & 6000 PSI hoses
- Available in 1/4", 3/8", and 1/2" hoses
- Temperature: -15° F to 250° F
- Chemical and heat resistant rubber inner tube
- Synthetic rubber cover





SUTTNER

A M E R I C A C O M P A N Y

PRESSURE WASHER COMPONENTS & ACCESSORIES

With almost **60** years of experience, Suttner America Company is one of the worldwide leading manufacturers of high quality products for the cleaning industry.

Address:

14864 West Ridge Ln.
Dubuque, IA 52003

Fax:

(563) 556.3038
(800) 821.0660

Phone:

(563) 556.3212
(800) 831.0660

Email:

sales@suttner.com

Web:

www.suttner.com

GERMAN ENGINEERED TECHNOLOGY